

LISTADO DE PLAGAS CUARENTENARIAS PARA ARGENTINA

PLAGA	HOSPEDANTE/PRODUCTO
ACARINA	
<i>Amphitetranychus viennensis</i>	<i>Malus</i> spp., <i>Pyrus</i> spp
<i>Brevipalpus californicus</i>	<i>Citrus</i> spp., vid, <i>Pyrus</i> spp.
<i>Brevipalpus lewisi</i>	Polífaga
<i>Brevipalpus russulus</i>	Cactaceas, Crassulaceas
<i>Ditrymacus athiasellus</i>	Olivo
<i>Eotetranychus carpini</i>	<i>Castanea sativa</i> , <i>Corylus avellana</i> , <i>Malus</i> spp., <i>Prunus domestica</i> , <i>Prunus persica</i> , <i>Pyrus</i> spp, <i>Rubus</i> spp., <i>Vitis vinifera</i>
<i>Eriophyes mangiferae</i>	Mango
<i>Eutetranychus orientalis</i>	<i>Olea europea</i>
<i>Phyllocoptes unguiculatus</i>	Nogal
<i>Steneotarsonemus pallidus</i>	Frutilla
<i>Tetranychus cinnabarinus</i>	Polífaga
<i>Tetranychus pacificus</i>	Vid, frutales, algodón
<i>Tetranychus mcdanieli</i>	<i>Malus domestica</i> , <i>Prunus</i> spp., <i>Pyrus communis</i> , <i>Vitis vinifera</i>
<i>Tetranychus turkestani</i>	<i>Fragaria x ananassa</i> , <i>Gladiolus</i> spp., <i>Prunus dulcis</i> , <i>Prunus persica</i> , <i>Rosa</i> spp., <i>Pyrus</i> spp

INSECTOS

COLEOPTERA

<i>Aegorhinus phaleratus</i>	Rosaceas, Nogal
<i>Amphicerus cornutus</i>	Olivo
<i>Amphicranus rasilis</i>	<i>Eucalyptus</i> spp
<i>Anoplophora</i> spp.	Forestales, frutales
<i>Anthonomus bisignifer</i>	<i>Rubus</i> spp.
<i>Anthonomus eugenii</i>	<i>Capsicum</i> spp.
<i>Anthonomus musculus</i>	Frutilla, arándano, mora, frambuesa

<i>Anthonomus pomorum</i>	Manzano, peral
<i>Anthonomus pyri</i>	Pomáceas
<i>Anthonomus signatus</i>	Frutilla, frambuesa
<i>Anthonomus vestitus</i>	Algodón, otras malváceas
<i>Apate monachus</i>	Frutales
<i>Astylus antis</i>	<i>Eucalyptus</i> spp
<i>Bostrichopsis uncinata</i>	<i>Eucalyptus</i> spp
<i>Bostrichus vitis</i>	Vid
<i>Brachycerus</i> spp.	Ajo, cebolla
<i>Bruchidius</i> spp.	Soja, alfalfa, lenteja, garbanzo (leguminosas)
PLAGA	HOSPEDANTE/PRODUCTO
<i>Callipogon armillatus</i>	<i>Eucalyptus</i> spp
<i>Carpophilus humeralis</i>	Manzano
<i>Chaetocnema confinis</i>	<i>Prunus</i> spp., pomáceas
<i>Colaspis hypochlora</i>	Banana
<i>Conotrachelus aguacatae</i>	<i>Persea americana</i> var. Hass
<i>Conotrachelus nenuphar</i>	<i>Prunus</i> spp., pomáceas, arándano
<i>Conotrachelus perseae</i>	<i>Persea americana</i> var. Hass
<i>Copturus aguacatae</i>	<i>Persea americana</i> var. Hass
<i>Corthylocurus vernaculus</i>	<i>Eucalyptus</i> spp
<i>Corthylus convexicauda</i>	<i>Eucalyptus</i> spp
<i>Crioceris</i> spp.	Espárrago
<i>Cryptorhynchus lapathi</i>	Salicaceae
<i>Cryptocarenum diadematus</i>	<i>Eucalyptus</i> spp
<i>Cryptocarenum schaufussi</i>	<i>Eucalyptus</i> spp
<i>Cryptocarenum seriatus</i>	<i>Eucalyptus</i> spp
<i>Dendroctonus</i> spp.	<i>Pinus</i> spp.
<i>Diabrotica virgifera virgifera</i>	Maiz
<i>Epicaerus cognatus</i>	Papa
<i>Euchroma gigantea goliath</i>	Palmaceae
<i>Geniocremmus chilensis</i>	Vid, frutales

<i>Heilipus albopictus</i>	<i>Persea americana</i> var. Hass
<i>Heilipus lauri</i>	<i>Persea americana</i> var. Hass
<i>Heilipus pittieri</i>	<i>Persea americana</i> var. Hass
<i>Heilipus trifasciatus</i>	<i>Persea americana</i> var. Hass
<i>Heterobostrychus aequalis</i>	Forestales
<i>Hylesinus antipodus</i>	Olivo
<i>Hylobius abietis</i>	<i>Pinus</i> spp., <i>Picea</i> spp., <i>Pseudotsuga</i>
<i>Hylobius pales</i>	<i>Pinus</i> spp., <i>Pseudotsuga</i>
<i>Hypothenemus bolivianus</i>	<i>Eucalyptus</i> spp
<i>Ips</i> spp.	<i>Pinus</i> spp.
<i>Leptinotarsa decemlineata</i>	Papa
<i>Micrapate brasiliensis</i>	<i>Eucalyptus</i> spp
<i>Micrapate scabrata</i>	Olivo, vid
<i>Monarthum minutum</i>	<i>Eucalyptus</i> spp
<i>Monochamus</i> spp.	<i>Pinus</i> spp.
<i>Odoiporus longicollis</i>	Banana
<i>Oryctes rhinoceros</i>	<i>Ananas comosus</i> , <i>Carica papaya</i> , <i>Cocos nucifera</i> , <i>Musa paradisiaca</i> , <i>Saccharum officinalis</i>
<i>Otiorhynchus cribricollis</i>	Citrus, manzano, peral, olivo, ciruelo, almendro, alfalfa
<i>Otiorhynchus ovatus</i>	Frutilla, arándano, frambuesa, forestales
<i>Otiorhynchus sulcatus</i>	Vid, frutilla, peral
PLAGA	HOSPEDANTE/PRODUCTO
<i>Phloeotribus scarabaeoides</i> (=oleae)	<i>Olea europea</i>
<i>Pissodes nemorensis</i>	<i>Picea</i> , <i>Pinus</i> spp., <i>Cedrus</i>
<i>Platypus linearis</i>	<i>Eucalyptus</i> spp
<i>Platypus schaumii</i>	<i>Eucalyptus</i> spp
<i>Placaederus ferrugineus</i>	Café, cajú
<i>Popillia japonica</i>	Frutales y ornamentales

<i>Premnotrypes</i> spp. (exc. <i>P. latithorax</i>)	Papa
<i>Prostephanus truncatus</i>	Maíz, trigo, triticales, sorgo
<i>Psiloptera hirtomaculata</i>	Palmaceae
<i>Rhabdoscelus obscurus</i>	Caña de azúcar, Palmaceae
<i>Sampsonius damfi</i>	<i>Eucalyptus</i> spp
<i>Sampsonius pedrosai</i>	<i>Eucalyptus</i> spp
<i>Saperda</i> spp.	Salicaceae
<i>Scolytus intricatus</i>	<i>Quercus</i> spp
<i>Scolytus scolytus</i>	Nogal
<i>Sinoxylon</i> spp.	<i>Acacia</i> spp., <i>Hevea brasiliensis</i> , frutales
<i>Sophronica ventralis</i>	Café
<i>Sternochetus mangiferae</i>	Mango
<i>Tetropium castaneum</i>	Nogal
<i>Tricolus perdiligens</i>	<i>Eucalyptus</i> spp
<i>Tricolus subincisuralis</i>	<i>Eucalyptus</i> spp
<i>Trogoderma</i> spp.	Granos, semillas y otros productos almacenados
<i>Xyleborus affinis</i>	<i>Eucalyptus</i> spp
<i>Xyleborus dispar</i>	Nogal
<i>Xyleborus gracilis</i>	<i>Eucalyptus</i> spp
<i>Xyleborus hagedorni</i>	<i>Eucalyptus</i> spp
<i>Xyleborus linearicolis</i>	<i>Eucalyptus</i> spp
<i>Xyleborus neivai</i>	<i>Eucalyptus</i> spp
<i>Xyleborus obliquus</i>	<i>Eucalyptus</i> spp
<i>Xyleborus reclusus</i> (= <i>Xyleborinus saxesenii</i>)	<i>Eucalyptus</i> spp
<i>Xyleborus spinosulus</i>	<i>Eucalyptus</i> spp
<i>Xylosandrus crassiusculus</i>	Ornamentales, frutales
DIPTERA	
<i>Anastrepha</i> spp. (exc. <i>A. fraterculus</i>)	Frutas varias

<i>Bactrocera</i> spp.	Frutas varias
<i>Bladisia</i> sp.	Ornamentales, Cactaceas
PLAGA	HOSPEDANTE/PRODUCTO
<i>Ceratitis</i> spp. (exc. <i>C. capitata</i>)	Frutas varias
<i>Chromatomyia syngenesiae</i>	Crisantemo, gerbera
<i>Dacus</i> spp.	Frutas varias
<i>Liriomyza trifolii</i>	Hortalizas, ornamentales
<i>Lonchaea pendula</i>	Uchuva, tamarillo
<i>Mayetiola destructor</i>	<i>Hordeum vulgare</i> , <i>Secale cereale</i> , <i>Triticum</i> spp.,
<i>Prodiplosis longifolia</i>	Esparrago
<i>Rabdophaga saliciperda</i> (= <i>Helicomyia</i>)	<i>Salix</i> spp.
<i>Rhagoletis</i> spp.	Frutas varias, hortalizas
<i>Thomasiniana oleisuga</i>	<i>Olea europea</i>
<i>Toxotrypana curvicauda</i>	Papaya

HEMIPTERA

<i>Aleurocanthus spiniferus</i>	<i>Citrus</i> spp., vid, peral, rosál
<i>Aleurocanthus woglumi</i>	<i>Citrus</i> spp., <i>Persea americana</i> var. Hass, vid
<i>Aspidiotus destructor</i>	Polífaga
<i>Aulacaspis tubercularis</i>	Mango
<i>Celastogonia chrysura</i>	Uchuva, tamarillo
<i>Ceroplastes destructor</i>	Polífaga
<i>Ceroplastes floridensis</i>	Polífaga
<i>Ceroplastes japonicus</i>	<i>Citrus</i> spp., <i>Diospyros kaki</i> , <i>Jasminum</i> spp., <i>Laurus nobilis</i> , <i>Poncirus trifoliata</i> , <i>Prunus</i> spp.
<i>Ceroplastes rubens</i>	Polífaga
<i>Coccus viridis</i>	Polífaga
<i>Euphyllura olivina</i>	<i>Olea europea</i>
<i>Froggattia olivinia</i>	<i>Olea europea</i>

<i>Hyalesthes obsoletus</i>	<i>Olea europea</i>
<i>Hyalopterus pruni</i>	Prunus, pomáceas
<i>Homalodisca coagulata</i>	<i>Citrus limon</i> , <i>Persea americana</i> var. Hass, <i>Prunus domestica</i> , <i>Prunus dulcis</i> , <i>Prunus persica</i> , <i>Vitis vinifera</i>
<i>Icerya seychellarum</i>	Gerbera
<i>Leucaspis riccae</i>	<i>Olea europaea</i>
<i>Lopholeucaspis japonica</i>	Cerezo, pomaceas, ornamentales
<i>Maconellicoccus hirsutus</i>	Polífaga
<i>Metcalfa pruinosa</i>	Citrus, manzana, pera, olivo, soja, <i>Prunus</i> spp., vid, Ficus
<i>Myzus cerasi</i>	Prunus
<i>Parabemisia myricae</i>	Prunus
<i>Perkinsiella saccharicida</i>	Caña de azúcar
<i>Phenacoccus madeirensis</i>	Ornamentales
PLAGA	HOSPEDANTE/PRODUCTO
<i>Philaenus spumarius</i>	Prunus
<i>Phylloxera glabra</i>	<i>Quercus</i> spp
<i>Planococcoides njalensis</i>	Cacao, café
<i>Planococcus lilacinus</i>	<i>Citrus</i> spp. café
<i>Pseudococcus citriculus</i>	<i>Citrus</i> spp.
<i>Pseudococcus calceolariae</i>	Frutales y ornamentales
<i>Pseudococcus jackbeardsleyi</i>	Polífaga
<i>Pseudaulacaspis cockerelli</i>	Ornamentales
<i>Rhizoecus falcifer</i>	Cactaceas
<i>Selenaspidus articulatus</i>	Frutales y ornamentales
<i>Scaphoideus titanus</i>	Vid

HOMOPTERA

<i>Acutaspis albopicta</i>	<i>Persea americana</i> var. Hass
<i>Acutaspis perseae</i>	<i>Persea americana</i> var. Hass

HYMENOPTERA

<i>Megastigmus</i> spp.	<i>Pinus</i> spp.
-------------------------	-------------------

<i>Neodiprion</i> spp.	<i>Pinus</i> spp.
<i>Tremex</i> spp.	Haya, Arce, Abedul, Olmo, Roble, Salix, Populus

LEPIDOPTERA

<i>Adoxophyes orana</i>	Manzano, peral
<i>Amorbia cuneana</i>	<i>Persea americana</i> var. Hass
<i>Amorbia emigratella</i>	<i>Persea americana</i> var. Hass
<i>Amorbia essigana</i>	<i>Persea americana</i> var. Hass
<i>Archips argyrospilus</i>	Frutales varios
<i>Archips podana</i>	Manzano, peral
<i>Archips rosana</i>	Frutales
<i>Argyresthia pruniella</i>	Prunus
<i>Argyrotaenia citrana</i>	Manzano
<i>Agrotis segetum</i>	Polífaga
<i>Agrius convolvuli</i>	girasol, mani, batata, <i>Vigna</i> spp.
<i>Anarsia lineatella</i>	Frutales
<i>Carposina sasakii</i>	Frutales varios
<i>Choristoneura occidentalis</i>	Pinus, Abies, Tsuga, Pseudotsuga, Picea
<i>Choristoneura rosaceana</i>	<i>Malus domestica</i> , <i>Pyrus communis</i>
<i>Conogethes punctiferalis</i>	Polífaga, frutales varios
<i>Copitarsia decolora</i>	Esparrago
PLAGA	HOSPEDANTE/PRODUCTO
<i>Corcyra cephalonica</i>	Forrajeras
<i>Cosmosoma ange</i>	<i>Eucalyptus</i> spp
<i>Cossus cossus</i>	<i>Populus</i> spp., frutales
<i>Cryptophlebia leucotreta</i>	Frutales varios
<i>Cydia</i> spp.(exc. <i>C. pomonella</i> y <i>C. molesta</i>)	Frutales varios
<i>Diatraea rufescens</i>	Caña de azúcar
<i>Dioryctria abiatella</i>	<i>Abies</i> spp., <i>Cedrus</i> spp., <i>Picea</i> spp., <i>Pinus</i> spp., <i>Pseudotsuga</i> spp.
<i>Dioryctria amatella</i>	<i>Pinus</i> spp.

<i>Ditula angustiorana</i>	Kiwi
<i>Dyspessa ulula</i>	<i>Allium</i> spp.
<i>Earias insulana</i>	Maíz, caña de azúcar, arroz
<i>Enarmonia formosana</i>	Prunus
<i>Epiphyas postvittana</i>	<i>Olea europaea</i>
<i>Erionota thrax</i>	Banana
<i>Eudocima fullonia</i> (= <i>Othreis fullonia</i>)	<i>Citrus</i> spp., tomate
<i>Euproctis chrysorrhoea</i>	Manzano, peral
<i>Euzophera semifuneralis</i>	Prunus
<i>Helicoverpa armigera</i>	Ornamentales, algodón, tomate
<i>Hyphantria cunea</i>	Forestales, frutales.
<i>Keiferia lycopersicella</i>	Tomate
<i>Heliothis subflexus</i>	Uchuva
<i>Leucinodes orbonalis</i>	Papa, tomate
<i>Leucoptera malifoliella</i>	<i>Malus pumila</i> , <i>Pyrus</i> spp.
<i>Lobesia botrana</i>	Vid, olivo, frambuesa y otros frutales
<i>Lymantria dispar</i>	Coníferas, frutales
<i>Lymantria monacha</i>	Coníferas, frutales
<i>Malacosoma</i> spp.	<i>Malus</i> spp., <i>Pyrus</i> spp., <i>Prunus</i> spp.
<i>Margaronia persimilis</i>	Olivo
<i>Mythimna separata</i>	Cereales, forrajeras, caña de azúcar, tabaco, soja, crucíferas
<i>Nacoleia octasema</i>	Banana
<i>Operophtera brumata</i>	Frutales y ornamentales
<i>Opogona sacchari</i>	Polífaga
<i>Opsiphanes tamarindi</i>	Banana
<i>Orgyia</i> spp.	Frutales y ornamentales
<i>Orthosia cerasi</i>	Manzano, peral
<i>Ostrinia furnacalis</i>	Cereales, caña de azúcar, algodón
<i>Ostrinia nubilalis</i>	Maiz
<i>Oxydia vesulia</i>	Esparrago

<i>Palpita vitralis</i> (= <i>P. unionalis</i>)	<i>Olea europea</i>
<i>Pammene rhediella</i>	Manzano, peral
PLAGA	HOSPEDANTE/PRODUCTO
<i>Pandemis heparana</i>	Manzano, peral
<i>Paranthrene tabaniformis</i>	Salicaceae
<i>Platynota stultana</i>	Frutales y otros
<i>Prays citri</i>	<i>Citrus</i> spp.
<i>Prays oleae</i>	Olivo
<i>Proeulia</i> spp.	Frutales, forestales
<i>Rhyacionia adana</i>	<i>Pinus</i> spp.
<i>Rhyacionia aktita</i>	<i>Pinus</i> spp.
<i>Rhyacionia busckana</i>	<i>Pinus</i> spp.
<i>Rhyacionia bushnelli</i>	<i>Pinus</i> spp.
<i>Rhyacionia cristata</i>	<i>Pinus</i> spp.
<i>Rhyacionia dativa</i>	<i>Pinus</i> spp.
<i>Rhyacionia duplana</i>	<i>Pinus</i> spp.
<i>Rhyacionia frustrana</i>	<i>Pinus</i> spp.
<i>Rhyacionia logaea</i>	<i>Pinus</i> spp.
<i>Rhyacionia neumexicana</i>	<i>Pinus</i> spp.
<i>Rhyacionia pasadenana</i>	<i>Pinus</i> spp.
<i>Rhyacionia pinivora</i>	<i>Pinus</i> spp.
<i>Sabulodes caberata</i> (= <i>S. aegrotata</i>)	<i>Eucalyptus</i> spp
<i>Spilonota ocellana</i>	<i>Malus</i> spp., <i>Pyrus</i> spp.
<i>Spodoptera exempta</i>	Gramíneas
<i>Spodoptera exigua</i>	Polífaga
<i>Spodoptera littoralis</i>	Polífaga
<i>Spodoptera litura</i>	Polífaga
<i>Spodoptera ochrea</i>	Esparrago
<i>Stenoma catenifer</i>	Palto
<i>Symmestriscema tangolias</i>	Papa, tomate, pepino dulce
<i>Synanthedon myopaeformis</i>	Manzano, peral

<i>Thaumetopoea pityocampa</i>	<i>Pinus</i> spp.
<i>Thaumetopoea processionea</i>	<i>Quercus</i> spp
<i>Thaumatotibia leucotreta</i>	Sorgo
<i>Tortrix viridana</i>	<i>Quercus</i> spp
<i>Zeuzera pyrina</i>	Frutales, forestales

THYSANOPTERA

<i>Frankliniella bruneri</i>	<i>Persea amaricana</i> var. Hass
<i>Frankliniella intonsa</i>	Cactaceas, ornamentales
<i>Frankliniella parvula</i>	Banana
<i>Liothrips oleae</i>	Olivo
<i>Liothrips perseae</i>	Palto
<i>Palleucothrips musae</i>	Banana
PLAGA	HOSPEDANTE/PRODUCTO
<i>Pseudophilothrips perseae</i>	<i>Persea americana</i> var. Hass
<i>Scirtothrips aceri</i>	<i>Persea americana</i> var. Hass
<i>Scirtothrips aguacatae</i>	<i>Persea americana</i> var. Hass
<i>Scirtothrips aurantii</i>	Polífaga
<i>Scirtothrips kupandae</i>	<i>Persea americana</i> var. Hass
<i>Scirtothrips perseae</i>	Palto
<i>Selenothrips rubrocinctus</i>	Polífaga
<i>Thrips palmi</i>	Polífaga

HONGOS

<i>Alternaria mali</i>	<i>Malus</i> spp.
<i>Apiosporina morbosa</i>	<i>Prunus</i> spp.
<i>Bipolaris cactivora</i>	Cactaceas
<i>Cercospora eucalypti</i>	<i>Eucalyptus</i> spp.
<i>Cladosporium cucumerinum</i>	Zapallo
<i>Colletotrichum coffeanum</i> var. <i>virulans</i>	Café
<i>Corticium salmonicolor</i>	Níspero
<i>Cronartium</i> spp.	<i>Pinus</i> spp.
<i>Cryphonectria parasitica</i>	Castaña, roble

<i>Dactuliochaeta</i> <i>glycines</i> (<i>Pyrenochaeta glycines</i>)	Soja
<i>Diaporthe cubensis</i>	<i>Eucalyptus</i> spp.
<i>Didymella ligulicola</i>	Crisantemo
<i>Drepanopeziza populorum</i>	<i>Populus</i> spp.
<i>Fusarium oxysporum</i> f.sp. <i>cubense</i>	Banano
<i>Gibberella circinata</i> (<i>Fusarium circinatum</i> = <i>F. subglutinans</i> f.sp. <i>pini</i>)	<i>Pinus</i> spp., <i>Pseudotsuga</i>
<i>Gymnosporangium</i> spp.	Pomáceas, Rosáceas, ornamentales, <i>Juniperus</i> spp.
<i>Hemileia coffeicola</i>	Café
<i>Heterobasidium annosum</i>	Maderas
<i>Monilinia fructigena</i>	Arándano, peral, manzano, <i>Prunus</i> spp.
<i>Monilinia vaccinii-corymbosi</i> (<i>Monilia vaccinii-corymbosi</i>)	Arándano
<i>Mycena citricolor</i>	Café
<i>Mycosphaerella dearnessii</i> (<i>Scirrhia acicola</i>)	<i>Pinus</i> spp.
<i>Mycosphaerella fijiensis</i> (<i>Cercospora fijiensis</i>)	Banana
PLAGA	HOSPEDANTE/PRODUCTO
<i>Mycosphaerella gibsonii</i> (<i>Cercoseptoria pini-densiflorae</i>)	<i>Pinus</i> spp.
<i>Oidium chrysanthemi</i>	Crisantemo, Gerbera
<i>Peridermium</i> spp.	<i>Pinus</i> spp.
<i>Peronospora tabacina</i>	Tabaco
<i>Phaeoramularia angolensis</i> (<i>Cercospora angolensis</i>)	<i>Citrus</i> spp.
<i>Phialophora cinerescens</i>	Clavel
<i>Phoma crocophylla</i>	Azafrán

<i>Phoma foveata</i> (= <i>P. exigua</i> var. <i>foveata</i>)	Papa
<i>Phoma tracheiphila</i>	<i>Citrus</i> spp.
<i>Phyllosticta imbe</i>	<i>Philodendron</i> spp.
<i>Phyllosticta philodendra</i>	<i>Philodendron</i> spp.
<i>Phyllosticta solitaria</i>	Manzana
<i>Phymatotrichopsis omnivora</i>	Polífaga
<i>Phytophthora boehmeriae</i>	<i>Citrus</i> spp.
<i>Phytophthora erythroseptica</i> var. <i>erythroseptica</i>	Papa
<i>Plasmopara halstedii</i>	Girasol
<i>Polyscytalum pustulans</i>	Papa
<i>Pyricularia grisea</i>	Banano
<i>Pythium splendens</i>	Ornamentales, frutales
<i>Rhizoctonia tuliparum</i>	Gladiolo
<i>Sclerotinia bulborum</i>	Azafrán
<i>Sphaceloma fawcetti</i> var. <i>scabiosa</i>	<i>Citrus</i> spp.
<i>Sphaceloma rosarum</i>	<i>Rosa</i> spp
<i>Sphaerulina paulistana</i>	<i>Dracaena</i> spp.
<i>Stenocarpella macrospora</i>	Maiz
<i>Synchytrium endobioticum</i>	Papa
<i>Synchytrium vaccinii</i>	Arándano
<i>Thecaphora solani</i> (= <i>Angiosorus solani</i>)	Papa
<i>Tilletia indica</i>	Trigo
<i>Tolyposporium ehrenbergii</i>	Sorgo

NEMATODOS

<i>Anguina agrostis</i>	<i>Agrostis</i> spp., <i>Festuca</i> spp., <i>Dactylis</i> spp., <i>Poa</i> spp., <i>Lolium</i> spp.
<i>Anguina funesta</i>	<i>Lolium rigidum</i>
<i>Anguina tritici</i>	<i>Triticum</i> spp., <i>Secale</i> spp.

<i>Aphelenchoides besseyi</i>	Arroz, frutilla
PLAGA	HOSPEDANTE/PRODUCTO
<i>Aphelenchoides fragariae</i>	Frutilla, ornamentales.
<i>Bursaphelenchus xylophilus</i>	<i>Pinus</i> spp.
<i>Cactodera cacti</i>	<i>Ferocactus</i> spp, <i>Zygocactus</i> sp, <i>Gymnocalycium</i> sp., <i>Chamaecereus</i> sp., <i>Hylocereus</i> sp., <i>Opuntia ficus-indica</i> , <i>Notocactus</i> sp.
<i>Ditylenchus angustus</i>	Arroz
<i>Ditylenchus destructor</i>	Papa, bulbos florales
<i>Ditylenchus dipsaci</i> , raza papa	Papa
<i>Globodera rostochiensis</i>	Papa
<i>Globodera pallida</i>	Papa
<i>Heterodera avenae</i>	Avena
<i>Heterodera schachtii</i>	Remolacha, repollo, coliflor
<i>Heterodera fici</i>	<i>Ficus</i> spp.
<i>Heterodera trifolii</i>	<i>Trifolium</i> spp, clavel
<i>Heterodera zeae</i>	Maiz
<i>Hoplolaimus coronatus</i>	<i>Eucalyptus</i> spp
<i>Meloidogyne fallax</i>	Papa
<i>Meloidogyne hispanica</i>	Frutales de carozo
<i>Paratrichodorus porosus</i>	Nogal
<i>Pratylenchus coffeae</i>	Cítricos, manzana, pera, papa, frutilla, café
<i>Pratylenchus fallax</i>	Frutales, frutilla, rosa
<i>Pratylenchus scribneri</i>	Papa, Manzano, peral
<i>Radopholus similis</i>	<i>Citrus</i> spp., frutales, banano, ornamentales
<i>Radopholus citrophilus</i>	<i>Citrus</i> spp.
<i>Rotylenchulus reniformis</i>	<i>Citrus</i> spp., palto, mango, pera, vid y ornamentales
<i>Tylenchorhynchus brevidens</i>	turba, pera, papa

<i>Tylenchorhynchus claytoni</i>	turba, ornamentales, frutales
<i>Tylenchorhynchus dubius</i>	turba, lupulo
<i>Xiphinema brevicolle</i>	<i>Olea europaea</i>
<i>Xiphinema diversicaudatum</i>	<i>Fragaria</i> spp., <i>Malus</i> spp., <i>Mentha</i> spp., <i>Pinus ponderosa</i> , <i>Prunus</i> spp., <i>Pyrus</i> spp., <i>Rosa</i> spp., <i>Rubus</i> spp., <i>Vitis</i> spp.
<i>Xiphinema italiae</i>	

BACTERIAS

<i>Aplanobacter populi</i>	Salicaceae
Candidatus Liberibacter africanus(Huanglongbing - greening disease)	<i>Citrus</i> spp.
PLAGA	HOSPEDANTE/PRODUCTO
Candidatus Liberibacter asiaticus(Huanglongbing - greening disease)	
<i>Clavibacter michiganensis</i> ssp. <i>insidiosus</i>	Alfalfa, trébol
<i>Clavibacter michiganensis</i> ssp. <i>sepedonicus</i>	Papa
<i>Curtobacterium flaccumfaciens</i> p.v. <i>flaccumfaciens</i>	Leguminosas
<i>Erwinia amylovora</i>	Rosáceas (frutales y ornamentales)
<i>Erwinia chrysanthemi</i> p.v. <i>diffenbachiae</i>	<i>Diffenbachia</i> spp.
<i>Erwinia chrysanthemi</i> pv. <i>zeae</i>	Caña de azúcar
<i>Erwinia ixiae</i>	Ornamentales
<i>Erwinia pyrifoliae</i>	<i>Pyrus pyrifoliae</i>
<i>Erwinia salicis</i>	Salicaceae
<i>Pantoea stewartii</i> (=Erwinia <i>stewartii</i>)	Maíz

<i>Erwinia tracheiphila</i>	Zapallo
<i>Pseudomonas syringae</i> pv. <i>morsprunorum</i>	<i>Prunus</i> spp.
<i>Ralstonia solanacearum</i> raza 2 (<i>Pseudomonas solanacearum</i>)	Banana
<i>Rhodococcus fascians</i> (<i>Corynebacterium fascians</i>)	Ornamentales
<i>Spiroplasma citri</i> (Stubborn)	<i>Citrus</i> spp.
<i>Xanthomonas axonopodis</i> pv <i>citri</i> biotipo C y E (<i>Xanthomonas campestris</i> pv <i>citri</i>)	<i>Citrus</i> spp., <i>Fortunella</i> spp., <i>Poncirus</i> spp.
<i>Xanthomonas axonopodis</i> pv <i>diffenbachiae</i>	Ornamentales
<i>Xanthomonas campestris</i> pv <i>gummisudans</i>	Gladiolo
<i>Xanthomonas oryzae</i> pv <i>oryzae</i>	Arroz
<i>Xanthomonas oryzae</i> pv <i>oryzicola</i>	Arroz
<i>Xylella fastidiosa</i>	<i>Citrus</i> spp., <i>Medicago sativa</i> , <i>Prunus dulcis</i> , <i>P. Persica</i> , <i>Vinca</i> spp., <i>Vitis</i> spp
(Peach phony disease)	Duraznero, damasco
(Pierce´s Disease)	Vid
PLAGA	HOSPEDANTE/PRODUCTO
<i>Xylophilus ampelinus</i>	Vid

FITOPLASMAS

Apple chat fruit phytoplasma	Manzano
Candidatus Phytoplasma mali (Apple proliferation phytoplasma)	Manzano
Apple rubbery wood phytoplasma	Manzano, peral
Grapevine flavescence dorée phytoplasma	Vid
Palm lethal yellowing phytoplasma	Palmaceae

Peach rosette phytoplasma	Ciruelo, duraznero, arándano
Peach yellows phytoplasma	Damasco, duraznero
Peach X-disease phytoplasma	Cerezo, duraznero
Candidatus Phytoplasma pyri (= Pear decline phytoplasma)	Peral, membrillo
Candidatus Phytoplasma aurantifolia (Witches-broom phytoplasma)	<i>Citrus</i> spp.
X-disease MLO	<u>Cerezo</u>

VIRUS Y VIROIDES

African cassava mosaic virus	Mandioca
Andean potato latent virus	Papa
Andean potato mottle virus	Papa, berenjena
Apple dimple fruit viroid	Manzano
Apple green crinkle disease	Manzano
Apple ringspot disease	Manzano
Apple scar skin viroid (= Sabi-ka agent)	Manzano
Apple star crack agent	Manzano
Apple stem grooving virus	Manzano, peral
Apple stem pitting virus	Manzano, peral
Apricot ring pox disease	Cerezo, damasco
Arabis mosaic virus	Vid, olivo
Arracacha B virus oca strain	Papa
Banana bunchy top virus	Banana y otras Musáceas
Bean pod mottle virus	Soja
Bean yellow mosaic virus (=Pea mosaic virus)	<i>Pisum</i> spp., <i>Vicia</i> spp.
<i>PLAGA</i>	<i>HOSPEDANTE/PRODUCTO</i>
Blueberry leaf mottle virus	Arándano
Blueberry scorch virus	Arándano
Blueberry shock virus	Arándano

Blueberry shoestring virus	Arándano
Cactus virus X	Cactaceas
Carnation necrotic fleck virus	Clavel
Carnation ringspot virus	Clavel, frutales de carozo, pomaceas
Cherry leaf roll virus	Cerezo, <i>Rubus</i> spp., nogal, olivo
Cherry necrotic rusty mottle virus	Cerezo
Cherry rasp leaf virus	Cerezo, manzano
Cherry rusty mottle virus	Prunus
Citrus impietratura disease	<i>Citrus</i> spp.
Citrus tristeza virus (razas severas)	<i>Citrus</i> spp.
Coconut cadang-cadang viroid	<i>Cocos nucifera</i> , <i>Areca catechu</i> , <i>Saccharum officinarum</i>
Cymbidium mosaic virus	Orquídeas
Fiji disease virus	Caña de azúcar
Grapevine enation agent	Vid
Grapevine virus A (GVA)	Vid
Grapevine virus B (GVB)	Vid
Grapevine Rugose Wood complex disease (Rupestris Stem Pitting, Kober Stem Grooving, LN33 Stem Grooving, Corky bark)	Vid
Iris severe mosaic virus	Azafrán
Iris yellow spot virus	<i>Allium cepa</i>
Little cherry virus	Cerezo
Odontoglossum ringspot virus	Orquídeas
Pea early-browning virus	<i>Pisum</i> spp., <i>Vicia</i> spp., <i>Phaseolus</i> spp.
Pea false leaf roll virus	<i>Pisum</i> spp., <i>Vicia</i> spp., <i>Phaseolus</i> spp.
Pea seed-borne mosaic virus	<i>Pisum</i> spp., <i>Vicia</i> spp.
Peach latent mosaic viroid	<i>Prunus</i> spp.
Peanut stripe virus	Maní
Peanut stunt virus	Maní

Pear blister canker viroid	Peral
Potato black ringspot virus	Papa
Potato mop-top virus	Papa
Potato spindle tuber viroid (Tomato bunchy top virus)	Papa
Potato yellow vein virus	Papa
Plum pox virus	<i>Prunus</i> spp.
PLAGA	HOSPEDANTE/PRODUCTO
Southern bean mosaic virus	Poroto
Sugarcane Sereh disease	Caña de azúcar
Strawberry latent ringspot virus	Vid, Frutilla, <i>Prunus</i> spp. Olivo
Tobacco streak virus potato strain	Papa
Tobacco ringspot virus	Tabaco
Tomato black ring virus	Poroto
Tomato ringspot virus	Tomate, <i>Prunus</i> spp., frambuesa, vid, arándano, manzano

MOLUSCOS

BRADYBAENIDAE

<i>Acusta despecta</i>	Ornamentales
------------------------	--------------

HELICELLIDAE

<i>Cernuella neglecta</i>	Semillas, granos, vid, ornamentales
<i>Cernuella virgata</i>	Semillas, granos, vid, ornamentales
<i>Cochlicella acuta</i>	Semillas, granos, vid, ornamentales

HELICIDAE

<i>Theba pisana</i>	Citrus, alfalfa, olivo, ornamentales
---------------------	--------------------------------------

PHILOMYCIDAE

<i>Incilaria confusa</i>	Ornamentales, cactaceas
--------------------------	-------------------------

MALEZAS Y PLANTAS PARASITAS

PLAGA	HOSPEDANTE/ PRODUCTO
<i>Arceuthobium</i> spp.	Coníferas
<i>Brassica tournefortii</i>	

<i>Cirsium arvense</i>	
<i>Emex australis</i>	
<i>Eragrostis plana</i>	
<i>Euphorbia esula</i>	
<i>Heliotropium europaeum</i>	
<i>Hieracium pilosella</i>	
<i>Myagrurn perfoliatum</i>	
<i>Orobanch</i> spp.	
<i>Striga</i> spp.	
<i>Taeniatherum caput-medusae</i>	